

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| L1 | 273 | 380/283.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:03 |
| L2 | 946 | 380/44.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:03 |
| L3 | 459 | 713/169.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/12 11:04 |
| L4 | 2 | L3 and @ad<"20010730" and @pd>"20070822" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:04 |
| L5 | 872 | 713/171.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/12 11:04 |
| L6 | 4 | L5 and @ad<"20010730" and @pd>"20070822" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:04 |
| L7 | 22 | (JALBERT near CHRISTOPHER) (WALLACE near LELAND) (O'ROURKE near DAVID) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:04 |
| L8 | 136 | session near key\$2 same (hash\$3 digest) with public near key\$2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:06 |
| L9 | 1 | L8 and @ad<"20010730" and @pd>"20070822" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:06 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| L10 | 23 | encrypt\$3 with two near session near key\$2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:06 |
| L11 | 0 | L10 and @ad<"20010730" and @pd>"20070822" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:06 |
| L12 | 204 | nonce\$2 with (compar\$3 modification modif\$3) and public | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:06 |
| L13 | 0 | L12 and @ad<"20010730" and @pd>"20070822" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:06 |
| L14 | 53 | encrypt\$3 near3 (nonce number) with public adj key\$2 with session | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:06 |
| L15 | 0 | L14 and @ad<"20010730" and @pd>"20070822" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:06 |
| L16 | 28 | generat\$4 with secret same hash\$4 with public with password | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:06 |
| L17 | 0 | L16 and @ad<"20010730" and @pd>"20070822" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:06 |
| L18 | 9 | hash\$4 with first with second with public near key with password | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:06 |
| L19 | 0 | L18 and @ad<"20010730" and @pd>"20070822" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:06 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| L20 | 4 | hash\$4 with public near keys with password | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/12 11:06 |
| L21 | 0 | L20 and @ad<"20010730" and @pd>"20070822" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:06 |
| L22 | 117 | hash\$4 with (host server) with client with password | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/12 11:06 |
| L23 | 0 | L22 and @ad<"20010730" and @pd>"20070822" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:06 |
| L24 | 25 | key near exchange\$4 and client with public adj key same (server host) with public adj key same hash\$4 same (password secret) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:06 |
| L25 | 0 | L24 and @ad<"20010730" and @pd>"20070822" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:06 |
| L26 | 55 | key near exchange\$4 and client with public adj key same (server host) with public adj key same hash\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:06 |
| L27 | 0 | L26 and @ad<"20010730" and @pd>"20070822" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:07 |
| L28 | 97 | mutual\$4 with authenticat\$4 with secur\$4 with key with exchange\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:07 |
| L29 | 6 | 28 and (password same hash\$4 same public) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:08 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| L30 | 202 | series adj3 hash | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:10 |
| L31 | 50 | L30 and generat\$4 with (key secret) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:10 |
| L32 | 17 | L31 and @ad<"20010730" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:10 |
| L33 | 140 | (key secret) near generat\$4 and (series sequence) near hash | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:10 |
| L34 | 42 | L33 and @ad<"20010730" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:10 |
| L35 | 49 | matyas.in. and generat\$4 near key and hash\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/12 11:10 |